BIO-STIMULANTS & BIO FERTILIZERS SUPER-COT YAMIUNA AUGUS SCAN 3G PRACONIS PRACON

MICRONUTRIENT FERTILIZERS




BESTCIDES MINERALS PVT. LTD.

Plot No.292-1, Sanagapadu road, Nandigama, NTR dist, Andhra Pradesh-521185

Contact No: +91 8367441122 , e-mail: gb1@live.in





OUR PHILOSOPHY...

Applying international standards in productivity with strong research and development
To produce high standard
Plant micro nutrients...
Organic fertilizers...

Organic fertilizers..

Bio stimulants...

Amino chelates...

OUR AIM...

Preserving eco systems in India Empowering farmers for a better future Trusted by millions of farmers for 40 yrs

BESTCIDES MINERALS PVT. LTD.

OUR INSPIRATION..... THE FATHER OF GREEN REVOLUTION





"Micronutrient deficiency in the soil results in micronutrient malnutrition in people, since crops grown on such soil tend to be deficient in the nutrients needed to fight hidden hunger'

Dr.M.S.SWAMINATHAN

THE PLANT NUTRITION EXPERTS

SINCE 40 YEARS THE SOLUTION: HIGHER YIELDS WITH HIGHER EFFICACY PEACOCK BRAND PRODUCTS

THE NEW AGE MICRO NUTRIENT FERTILIZER FOR **NEW AGE AGRICULTURE**

Page No.2



METAVIN (F07) (AS PER FCO'85) COMPOSITION:

METAVIN (F07) Is A Versatile Micro Nutrient Mixture Which Is Highly Soluble With 100% Nutrient Power.

METAVIN (F07) Is Recommended For All Crops To Correct The Zinc Deficiency.

DOSAGE: 5kg METAVIN (F07) Is Recommended For One Acre Of Land.

100 Gms Of METAVIN (F07) Is Recommended Per Plant in Horticultural Crop.

METAVIN (F07) Is Highly Recommended For Drip

FERROUS AS Fe	0.5%
MANGANESE AS Mn	0.5%
ZINC AS Zn	6.0%
COPPER AS Cu	0
BORON AS Bo	0
MOLYBDENUM AS Mo	0

ZINC SOIL (F07) (AS PER FCO'85)

ZINC SOIL (F07) Is A Versatile Micro Nutrient Mixture Which Is Highly Soluble With 100% Nutrient Power.

ZINC SOIL (F07) Is Recommended For All Crops To Correct The Zinc Deficiency.

DOSAGE: 10kg ZINC SOIL (F07) Is Recommended For One Acre Of Land.

200 Gms of ZINC SOIL (F07)Is Recommended Per a Tree In All Horticulural Crops.

ZINC SOIL (F07) Is Highly Recommended For Drip Irrigation.

COMPOSITION:	
FERROUS AS Fe	0.5%
MANGANESE AS Mn	0.5%
ZINC AS Zn	6.0%
COPPER AS Cu	0
BORON AS Bo	0
MOLYBDENUM AS Mo	0



METAVIN (F07)

WITH GROWTH SUBSTANCE (AS PER FCO'85) COMPOSITION:

METAVIN (F07) Is A Versatile Micro Nutrient Mixture Which Is Highly Soluble With 100% Nutrient Power Along with a Growth Substance

METAVIN (F07) Is Recommended For All Crops To Correct The Zinc Deficiency.

DOSAGE: 3 Kg METAVIN (F07) Is Recommended For One Acre of land. 50 Gms Of METAVIN (F07) Is Recommended Per a Tree In

All Horticulural Crops. METAVIN (F07) Is Highly Recommended For Drip Irrigation.


FERROUS AS Fe	0.5%
MANGANESE AS Mn	0.5%
ZINC AS Zn	6.0%
COPPER AS Cu	0
BORON AS Bo	0
MOLYBDENUM AS Mo	0

METAVIN (F04) (AS PER FCO'85) COMPOSITION:

METAVIN (F04) Foliar Feed Enhances Photo Synthesis Activity and increases production and accumulation of carbohydrate and favorable effect on growth and retention of flowers and fruits, which increases number of fruits per plant besides increasing the size of the fruit. $\ensuremath{\mathsf{METAVIN}}$ (F04) corrects micronutrient deficiencies in fruit crops and increases yield by 30%.

DOSAGE: 20 Grams of METAVIN (F04) is to be diluted in

COMPOSITION:		
FERROUS AS Fe	4.0%	
MANGANESE AS Mn	3.0%	
ZINC AS Zn	6.0%	
COPPER AS Cu	1.0%	
BORON AS Bo	2.0%	
MOLYBDENUM AS Mo	0.05%	





METAVIN (F06) (AS PER FCO'85) COMPOSITION:

METAVIN (F06) Foliar Feed Corrects the micronutrient deficiencies and develops the plant growth in Cotton, Chillies and Vegetables.

METAVIN (F06) increases yield by 30-40%. METAVIN (F06) foliar feed develops the flowers and fruits per plant and unfolds the dropping of flowers and fruits perfectly and improves fruit weight also

DOSAGE: 50 Ml of METAVIN (F06) Liquid is to be Diluted in 15 liters of water

FERROUS AS Fe	2.0%
MANGANESE AS Mn	2.0%
ZINC AS Zn	5.0%
COPPER AS Cu	0%
BORON AS Bo	0.5%
MOLYBDENUM AS Mo	0



GREENER

9.5+/-

1.3-1.4

GREENER Contains Magnesium Which Is Essential In The Formation Of Chlorophyll. Thus GREENER Increases the Greenish In Crops so as to get more Yield

For Spray: 100 Gms of GREENER is to be Diluted in 15 Liters of Water

For Drip Irrigation: 10kg of GREENER is Recommended Per one Acre.

(AS PER FCO'85) COMPOSITION:

Magnesium (as Mg)% By Weight	
Minimum	9.5%
Sulphate Sulphar (as S) % By Weight	
Minimum	12.0%
Matter In Soluble In Water % By	
Weight Maximum	1.0%
Ph(5% Solution) Not Less Than	5-8
Cadmium (as Cd) % By Weight	
Maximum	0.0025
Arsenic (as As) % By Weight,	
maximum	0.01
Lead (as Pb) % By Weight Minimum	0.003

METAVIN (F01) (AS PER FCO'85) COMPOSITION:

METAVIN (F01) Foliar Feed Corrects the micronutrient deficiencies and Fix the nitrogen in roots and develops the plant growth in Ground Nut, Green Gram Bengal Gram, Black Gram and Red Gram Crops.

DOSAGE: 25 Grams of METAVIN (F01) is to be Diluted in 15 liters of water.

FERROUS AS Fe	6.0%
MANGANESE AS Mn	1.50%
ZINC AS Zn	5.0%
COPPER AS Cu	0%
BORON AS Bo	0%
MOLYBDENUM AS Mo	0%



META-CAL

(AS PER FCO'85) COMPOSITION:

Minimum

Specific Gravity (kg/l)

META-CAL Is A Concentrated Soluble Liquid Formulation Calcium (asCa) %By Weight Which Contains 11 % Calcium. Calcium Is The Main Transporter of Nutrient To The Plant. Meta-cal is PH recommended During Flowering Stage to Stimulate Internal Chemical Pathways Which Promotes Flowering & Fruit Setting.

DOSAGE:

For Spray: 50 MI of META-CAL is to be Diluted In 15 Liters Of Water

For Drip Irrigation: 2 Liters Of META-CAL is Recommended Per One Acre.





SOWBHAGYA Is Most Commonly Refers To Zinc Sulphate Monohydrate (znsoH₂O) Containing 33% Zinc, Which Is A Common Micronutrient Fertilizer Used To Address Zinc Deficiencies In Plants. This Sowbhagya Fertilizer Is Water-soluble And Readily Available To Plants, And It Also Provides Sulfur, Another Essential

DOSAGE: 15gms of SOWBHAGYA is to be Diluted In 15 Liters Of Water.

SOWBHAGYA (AS PER FCO'85) COMPOSITION: Free Flowing Powder Form

Zinc(as Zn)% By Weight Minimum	33.0%
Sulphate Sulphar (as S) % By Weight	
Minimum	15.0%
Matter In Soluble In Water % By	
Weight Maximum	1.0%
Ph(5% Solution) Not Less Than	4.0
Cadmium (as Cd) % By Weight	
Maximum	0.0025
Arsenic (as As) % By Weight,	
maximum	0.01



BLOOM

(BORON LIQUID) (AS PER FCO'85) COMPOSITION:

BLOOM Plays Main Role For The Growth And Development of The Plant And Without Sufficient Boron New Growth Is Stagnated.

BLOOM Helps to Accomplish Deficiencies In A Wide Range of Crop Like Cracking And Disfigurement of Skin, Poor Flowering And Fruit Set.

Dosage: For Spray: 50 Ml of BLOOM Liquid is to be Diluted In 15 Liters of Water.

For Drip Irrigation: 1 Liter of BLOOM Liquid is Recommended Per one Acre.



Boron (as B)% By Weight Minimum	10.0%
РН	8.5+/-1
Specific Gravity	1.3-1.4
Cadmium (as Cd) % By Weight	
Maximum%	0.0025
Arsenic (as As) % By Weight,	
maximum	0.01
Lead (as Pb) % By Weight Minimum	0.003


METAZINC

(AS PER FCO'85) COMPOSITION:

Arsenic (as As) % By Weight,

METAZINC contains - Zinc in a complex form with EDTA a synthetic chelating agent which translocate the Zinc ion easily with in the plants when it is used a soil application, due to its complex form, Zinc ion is readily absorbed by roots and easily assimilate in system. So METAZINC is recommended to use as soil application & foliar spray.

DOSAGE: Soil application: 500gms of Metazinc is recommended in one hectar as soil application and it can be used along with NPK fertilizers safely. Foliar spray 100gms. of Metazinc is to be dissolved in 100 litres of water and spray in one acre of standing crop. 200 gms. of Metazinc is to be dissolved in 100 litres of water and sprayed in one acre land of horticulture crops.



Page No.4

0.01



BLOOM

(AS PER FCO'85)

BLOOM Fertilizer, Disodium octa borate tetra hydrate, is a highly concentrated & completely soluble

source of boron, It contains 20% boron, BLOOM is the easiest way to overcome boron deficiency of crops. BLOOM is an essential micronutrient required for all plant growth and must remain available for plant uptake during the plant growth period. BLOOM is purest form of Boron available for use in agriculture. It is 100% water soluble and can be used in foliar spray.

Dosage: Foliar Spray: 25gms of BLOOM is to be Diluted in 15 Lit of Water.

COMPOSITION	
BORON (AS) By% BY WEIGHT	
MINIMUM	20.0%
MATTER IN SOLUBLE IN WATER % BY	
WEIGHT MAXIMUM	1.0
CADMIUM (AS Cd)% BY WEIGHT	
MAXIMUM	0.0025
ARSENIC (as AS)% BY WEIGHT	
MAXIMUM	0.01
LEAD (AS Pb)% BY WEIGHT	
MINIMUM	0.003





AGROSHAKTI

(ACTIVE INGREDIANTS AS PER SCHEDULE VI FCO' 85 BIO STIMULANTS)HUMATES 12.5% (LIQUID) SPECIFIC FEATURES

AGROSAKTI stimulates cell deivision, cell elogation, elongation of shoot, photosynthesis, RNAsynthesis, membrane permeability to water uptake and thus enchances the leaf area index, leaf chorophyll conetent.

DOSAGE: 250ml. of AGROSAKTI is to be diluted in 150 liters of water and recommended in one acre land. Two sprays are recommended in a life time of the crop.

COMPOSITION

HUMIC ACID PERCENT WEIGHT	
MINIMUM	10%
FULVIC ACID PERCENT BY WEIGHT	
MINIMUM	2.5%
PH (10% AQUEOUS SOLUTION)	12-14
SPECIFIC GRAVITY	1.0-1.20

ROOT SPARK

(ACTIVE INGREDIANTS AS PER SCHEDULE VI FCO' 85 BIO STIMULANTS) POTAASIUM HUMATE 49% (POWDER)

SPECIFIC FEATURES


Potassium humate 49% is a highly concentrated form of Potassium, a natural soil conditioner and plant growth enhancer. It is made from high-grade Leonardite and contains high Concentration of humic acid, which improves soil structure, enhances nutrient uptake by plants, and stimulates root development.

DOSAGE: 150 grams of ROOT SPARK is recommended for paddy nursery as basal aplication.

Foliar spray: 10 gram of **ROOT SPARK** is to be diluted in 15 liters of water.

COMPOSITION

HUMIC ACID % BY WEIGHT	
MINIMUM	21%
PH (1% AQUEOUS SOLUTION)	6.0-8.0





ROOT SPARK-3

(ACTIVE INGREDIANTS AS PER SCHEDULE VI FCO' 85 BIO STIMULANTS)

ROOT SPARK-3 Contains 3kg granules along with 200ml paddy liquid &150gms of zinc mobilizing bacteria.

ROOT SPARK-3 is Recommended to control all pest in paddy crop & to develop more tillers & to correct the zinc deficiency in paddy crop.

DOSAGE: 3kg granules is to be mixed with given 200ml liquid & 150gms of powder and to be broadcasted in one acre of standing paddy crop.

COMPOSITION

HUMIC ACID % BY WEIGHT	
MINIMUM	21%
PH (1% AQUEOUS SOLUTION)	6.0-8.0

BHUBAL

(CARRIER BASED CONSORTIA : NPK BIO GRANULE AS PER FCO'85)

BHUBAL containing beneficial microbes, enhance plant growth by fixing atmospheric nitrogen, Solubilizing phosphate, and moilizing potash, leading to improve nutrient uptake, soil health and increase crop yields.

DOSAGE: 12 kg of **BHUBAL** is recommended as basal application per acre.

COMPOSITION

N-AZOTOBACTER (NITROGEN	
FIXING BACTERIA	2X10 ⁸
P-PHOSPOROUS SOLUBILIZING	
BACTERIA	2X10 ⁸
K-POTASH MOBILIZING	
BACTERIA	2X10 ⁸

Page No.6





YAMUNA GRANULES (2G) (ACTIVE INGREDIANTS AS PER SCHEDULE VI FCO'85 BIO STIMULANTS)

YAMUNA GRANULES is very Powerful Shiny Graules which Increases the Numbers Of Tillers In Paddy Crop by Enhancing Rizosphere of the Plant In Order to take more Elements from the Soil

DOSAGE: 2kg **YAMUNA GRANULES** is Recommended for one Acre of Standing Crop.

COMPOSITION

ALGINIC ACID % BY WEIGHT MIN	0.2%
PH (1:2 AQUEOUS SOLUTION)	6.0-8.5
BULK DENSITY (g/cc)	0.95-1.1

YAMUNA GRANULES (5G)

(ACTIVE INGREDIANTS AS PER SCHEDULE VI FCO'85 BIO STIMULANTS)

YAMUNA GRANULES 5G Is Very Powerful Shiny Granules Which Increases The Numer Of Tillers In Paddy Crop By Enhancing Rizosphere of the Plant, YAMUNA GRANULES 5G hepls to take more elements from the soil. DOSAGE: 5kg YAMUNA GRANULES 5G Is Recommened for one acre of standing crop.

COMPOSITION

ALGINIC ACID % BY WEIGHT MIN	0.2%	
PH (1:2 AQUEOUS SOLUTION)	6.0-8.5	
BULK DENSITY (g/cc)	0.95-1.1	



DRAGONIS

(ACTIVE INGREDIANTS AS PER BIO PESTICIDE)

DRAGONIS Provides Effective Control of a Wide Range of Insects in all crops, Minimizes the Potential Risk of Insect Resistance. Safe For Non-target and Beneficial organisms Like Earthworms, Honey Bees, Mammals, and other Vertbrates. Safe to Use With Conventional and Special Fertilizers Simultaneousluy. Organic, Non-toxic, 100% Biodegradale, And Eco-friendly.

DOSAGE: 25ml of DRAGONIS is to be Diluted in 15 Liter of Water.

COMPOSITION

EMULSIFIER (POLYSORBATE 20)	5%	
NEEM SEED KERNEL EXTRACT IN		
SOLVENT METHONAL CONTAINING		
MIN. 0.15% AZADIRACHTIN	60%	
TREATED NEEM OIL	35%	

SARDONYX

(ACTIVE INGREDIANTS AS PER BIO PESTICIDE)

SARDONYX is a Combi Product Which Contain Trichodema Viridi And other Ingredients Which are Very Helpful to Prevent All Soil Born Diseases Like Pre And Post-emergence Damping-off, Like Fusarium, Pythium and Rhizoctonia Species, Root Rot, Including Phytophthora, Vascular Wilt Caused by Fungi Including Verticilium and Nematodes.

DOSAGE: 1kg of SARDONYX is to be Mixed With Organic Manure or With Soil and to be broadcasted in 1 acre of Land. For Drenching 3 Grams of SARDONYX is to be Diluted In 1 Liter of Water and to be Dranched at Plant.

COMPOSITION

COMPOSITION		
TRICHODERMA VIRIDE CFU COUNT		
(2X10 ⁶ /GM MIN	1.50% W/W	
CARBOXY METHYL CELLULOSE	1.50% W/W	
DEXTROSE	97% W/W	
CARRIER TO MAKE	100% W/W	





VEGA

(ACTIVE INGREDIANTS AS PER BIO-PESTICIDE)


VEGA is an organic neem oil insecticide for plants, containing Azadiractin 1.00% as an active ingredient. It contains several bioactive compounds such as nimbidin, limonoids and other bitter compounds, all of which possess potential pesticidal properties.

VEGA is a broad-spectrum, organic neem oil that acts as an insecticide highly effective against leafeating catepillars and sucking pests. VEGA is recommended for all kinds of sucking pest on cotton.

DOSAGE: 2.5ml of VEGA is to be Diluted In one Liter of Water.

COMPOSITION

AZADIRACHTIN 1%



AYUVU (COMBI 250ML+250ML)

(ACTIVE INGREDIANTS AS PER SCHEDULE VI FCO'85BIO STIMULANTS) SARGASSUM TENERRIMUM 10% LIQUID

A Supplementary AYUVU Plus Is Given

AYUVU is a Combi Product To Develop The Immune System Of The Plant AYUVU Decreases The Damages Of Infestation.

A Special product For Chilly Crop

DOSAGE: 25 Ml of AYUVU is to be Mixed With 25ml of AYUVU Plus supplementary and the stock solution is to be Diluted in 15 Liters of Water.

COMPOSITION

control control	
ALGINIC ACID % BY WEIGHT	
MINIMUM	2% W/W
PH (1:2 AQUEOUS SOLUTION	8-10
ORGANIC MATTER (DRY MASS	
BASIS) % BY WEIGHT MINIMUM	20% W/W

BOSS

of all crops.

(ACTIVE INGREDIANTS AS PER SCHEDULE VI FCO'85 BIO STIMULANTS)

BOSS is a bio stimulant and triggers plants to synthesize amino acids and hormones that are essential for normal functioning, growth and development of Plants. BOSS corrects the hormonal imblance in plants during acticve growing, floweing and fruit setting periods, BOSS improves the quality apearance and yields of final produce

DOSAGE: 10ml of BOSS is to be Diluted in 15 liters of Water.

COMPOSITION

COMI OSTITON		
	HUMIC ACID % BY WEIGHT	5
	PH (1% AQUEOUS SOLUTION)	4.0-50
	SPECIFIC GRAVITY	1



CULEX 100

(ACTIVE INGREDIANTS AS PER BIO PESTICIDE)


CULEX 100 is a Strong Repellent Liquid to dicrease the Pest Infestation on All Crops Like Cotton, Chillies, Maize All Vegetables And Paddy.

DOSAGE: 10 Ml CULEX 100 is to be Diluted In 15 Liters of Water.

COMPOSITION

0011(1 00111011	
EMULSIFIER (POLYSORBATE 20)	10%
AZADIRACHTIN	0.30%
TREATED NEEM OIL	10%
N-BUTANIL	QS





EXPLORE (ACTIVE INGREDIANTS AS PER BIO-PESTICIDE)

EXPLORE is A Strong Neem Based Product Which Is Recommended in Low

Dosages. EXPLORE is a preventive and curative for all

DOSAGE: 50ml of EXPLORE is to be Diluted in 150 Liters of Water.

COMPOSITION

EMULSLFIER (POLYSORBATE 20)	10%
AZADIRACHTIN	0.30%
TREATED NEEM OIL	10%
N-BUTANOL	QS



(ACTIVE INGREDIANTS AS PER BIO INSECTICIDE)

EXIT Is An Organic Product Which Is Highly Recommended to Stop the Damages Of Thrips and Mites In Chilly Crop.

DOSAGE: 2.5 Ml of EXIT is to be Diluted In 1 Liter of Water.

COMPOSITION

COMPOSITION	
DISPERSAL AGENT (GLYCEROL)	0.50%W/W
VERTICILLIUM LECANII (SPORES	
AND MYC FRAGMENTS) CFU	
1X10CC/gm	1.5% W/V
GROWTH MEDIUM	96.0%W/V
OSMATIC STABILIZER	2.0%W/V

10X POWER

(ACTIVE INGREDIANTS AS PER SCHEDULE VI FCO'85 BIO STIMULANTS)

10 X POWER Stimulates root growth and branching, allowing plants to better absorb nutrients and water from the soil. This can improve plant growth and overall plant health. Helps in increasing germination capacity of seeds.

DOSAGE: Foliar Sray: 50Grams of 10 X POWER is to be Diluted in 15 Liter of Water.

COMPOSITION

JOHN GOLITOIT	
HUMIC ACID % BY WEIGHT	5
PH (1% AQUEOUS SOLUTION)	4.0-5.0
SPECIFIC GRAVITY	1





SUPER COTT (COMBI 250ML+250ML)

SUPER COTT GROWTH (ACTIVE INGREDIANTS AS PER SCHEDULE VI FCO'85BIO STIMULANTS)

SUPER COTT Liquid Carrier is given for uniform foliar Application

SUPER COTT is a Combi Product Which Contains SUPER COTT Growth Along With A Supplementary'

SUPER COTT Develops Growth of The Crop and Develop The Immune System of The Plant

DOSAGE: 25ml of SUPER COTT growth is to be Mixed with 25ml of SUPER COTT Supplementary and combinedly can be used In 15 liters of Water.

COMPOSITION

DOMI OUTTON	
ALGINIC ACID % BY WEIGHT	
MINIMUM	2%W/W
PH (1:2 AQUEOUS SOLUTION)	8-10
ORGANIC MSTTER (DRY MASS BASIS)	
% BYWEIGHT MINIMUM	20%W/W





CULEX

(ACTIVE INGREDIANTS AS PER BIO PESTICIDE)

CULEX is a Special Product to Prevent Pest Infestation on All Crops as Well as Controls all types

DOSAGE: 2.5 Ml of CULEX is to be diluted in one Liter of Water 25MI /15 Liters of Water.

COMPOSITION

EMULSIFIER (POLYSORBATE 20)	5%
NEEM SEED KERNEL EXTRACT IN	
SOLVENT METHONAL CONTAINING	
MIN. 0.15% AZADIRACHTIN	60%
TREATED NEEM OIL	35%



(ACTIVE INGREDIANTS AS PER SCHEDULE VI FCO'85 BIO PESTICIDE)

CLARA cotains humic acid along with trace elements lay a stimulating effect on the plant, mainly in the increase of respiration intensity, photosynthesis, and various enzyme activities, thus giving more branches, more flowers, controls droping of flowers fruit setting and making the fruit colour and ripen earlier, achieving high yield, and inceasing production value.

DOSAGE: 20 grams of CLARA is to be deluted in 15 liter of

COMPOSITION

HUMIC ACID % BY WEIGHT	5
PH (1% AQUEOUS SOLUTION)	4.0-5.0
SPECIFIC GRAVITY	1

US ARMY SPECIAL (COMBI 100ML+100ML) (ACTIVE INGREDIANTS AS PER SCHEDULE VI FCO'85 BIO STIMULANTS) SARGASSUM TENERRIMUM 10% LIQUID COMPOSITION

A Supplementary US ARMY Special is given

US ARMY (and a Supplementary US ARMY Special) is A Combi product Which is Recommended for Chillies and Cotton Crop for Healthy crops and high yields.

DOSAGE: 10ml of US ARMY is to be Mixed With 10ml Supplementary US ARMY special and stock solution is to be Diluted In 15 Liters of Water.

COMI COLLICIA	
ALGINIC ACID % BY WEIGHT	
MINIMUM	2%W/W
PH (1:2 AQUEOUS SOLUTION)	8-10
ORGANIC MSTTER (DRY MASS BASI	S)
%BYWEIGHTMINIMUM	20%W/W



ZINC MORE

(Liquid Fertilizer)

(AS PER FCO'85) COMPOSITION

ZINC MORE Improves metabolism in plants. Support in protein metabolisum. Helps in early establishment of seedlings. Better bud formation in fruit Crops and Tillering in cereals.

DOSAGE: 2.5ml of ZINC MORE is to be dilluted in one liter of water.

JOHN JOHN J		
Zinc (as Zn) Percent by Weight minimum	6.80	
PH (1% Distilled Water)	4.0-5.5	
Specific Gravity gm/ml	1.15-1.22	





SCAN 3G

SCAN 3G-P (ACTIVE INGREDIANTS AS PER BIO PESTICIDE)

EMULSIFIER (POLYSORBATE 20)	10%
AZADIRACHTIN	0.30%
TREATED NEEM OIL	10%
N-BUTANOL	QS

SCAN 3G is A Stong Organic Product To Control All Pest And Sucking Pest and Develops the Reproductive Stage. SCAN 3G is Increases Flowers and Controls Dropping of Flowers. SCAN 3G Develops the Fruit Setting.

DOSAGE: 10ml of SCAN 3G-p is to be Mixed With 10ml of Each SCAN 3G-m And SCAN 3G-f And The Stock Solution 30ml is to be Mixed With 15 Liters of Water.

SCAN 3G-M is a Supplementary SCAN 3G-F (active Ingrediants as per Micro Nutrient F06 Liquid) as per FCO'85

COMPOSITION

ZUNC AS Zn	5%
FERROUS AS Fe	2%
MANGANESE AS Mn	2%
BORON As Bo	0.5%
COPPER As Cu	0
MOLYBDENUM AS Mo	0




BORON MORE

(AS PER FCO'85) COMPOSITION

BORON MORE Increase the yield and shelf life of the produce. It helps in new cell formation and root development. It helps in the formation of proteins and amino acids. Increases the number of flowers and fruits. It is a completely water-soluble, efficient boron fertilizer. Ensures the growth and high yield of all Crops. Keep plants green and healthy. It is a micronutrient fertilizer for foliar spray. Better flower retention. Better fruit setting.

DOSAGE: 2.5ml of BORON MORE is to be diluted in one

COMI OSTITON	
Boron (as B) Percent by weight minimum	5.0
PH (1% Distilled Water)	8.0-9.0
Specific gravity gm/ml	1.10-1.25



(ACTIVE INGREDIANTS AS PER BIO PESTICIDE)

PADDY SPECIAL is Exclusively Manufactured For Paddy Crop To Control The Stem Borer, Leaf Folder And All Other Larva. PADDY SPECIAL is Recommended for Higher Yields.

DOSAGE: 25ml of PADDY SPECIAL is To Be Diluted In 15 Liter of Water.

COMPOSITION

COMPOSITION	
EMULSLFIER (POLYSORBATE 20)	5%
NEEM SEED KERNEL EXTRACT	
SOLVENT METHONAL CONTAINING	
MIN	0.15%
AZADIRACHTIN	60%
TREATED NEEM OIL	35%







" if agriculture fails, everything else will fail!" Page No.11